

# History

Patient presents with symptoms

How long have symptoms been present?

## **Change in Bowel Habit**

Frequency  
Consistency  
Persistent/intermittent  
Nocturnal Symptoms

## **Blood**

In or On  
Colour bright or dark red

## **Abdominal Pain**

Site  
Persistent/Intermittent  
Exacerbating Factors  
Relieving Factors

Weight loss Vomiting/Urine Output Palpitations

# Examination

## General

Pale  
Jaundiced  
Pulse/BP/Temp  
Tremor

## Abdomen

Mass  
Site of Tenderness  
Peritoneal Signs  
Organomegaly  
resonance/BS

## Rectal Examination

Presence of mass  
Nature of mass  
Stool present

## Admission


Very unwell with high  
fever low BP high Pulse  
Peritoneal Signs  
Signs of Obstruction  
Thyrotoxic storm  
Renal Failure

## Investigations


## Suspected Cancer Referral

Rectal mass consistent with  
CRC  
Anal mass or ulceration  
consistent with SCC

# Investigations



# Results



# Definitions

- \* FIT positive = Over 10ug Hb/g (note negative is <3)
- \*\* IDA – Any uninvestigated IDA in male or non-menstruating female Ferritin <50
- \*\*\* IDA - a low Hb by local lab criteria AND either a ferritin <30g/L OR a ferritin 30-100g/L AND a low serum iron with a transferrin >3g/L.